

Fabric Care: Insolroll Fabric Programs



Insolroll Window Shading Systems, Inc
637 S. Pierce Ave., Louisville, CO 80027
tel: 303.665.1207 | www.insolroll.com

Fabric Openness Manufacturer recommended care

Insolroll Solar Shade Fabrics		
Air	Sheer	Dust regularly with soft brush or vacuum.
Antero	Blackout	Fabric should be regularly dusted/vacuumed as appropriate. If commercial spot cleaners are used, they must first be tested and allowed to dry on an inconspicuous area to ensure compatibility.
Aurora	3%, 5%	Remove dust with a vacuum cleaner or compressed air. Clean with a sponge and warm, soapy water using mild detergent. Rinse with clean water. Do not scrub. Do not use solvents or abrasives that could harm the coating of the fabric. Leave the shade down until completely dry. You may also very gently rub the fabric with a clean white pencil eraser to remove small stains.
Cirrus	Sheer- 20%	Clean with warm water and mild soap. Rinse with clean water. Leave the shade down until completely dry. Can also very gently rub the fabric with a clean white pencil eraser to remove small stains.
Daybreak	Translucent	Remove dust with vacuum cleaner or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating of the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the shade down until completely dry. You can also rub the fabric very gently with a clean white pencil eraser to remove small stains.
Denali	Blackout	Clean with warm water.
E-Screen with KOOLBLACK	1%, 3%, 5%	Remove dust with vacuum cleaner (soft brush attachment) or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating of the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the shade down until completely dry. You can also very gently rub the fabric with a clean white pencil eraser to remove small stains.
Eclipse	Blackout	Fabric should be regularly dusted/vacuumed (soft brush attachment) as appropriate. If commercial spot cleaners are used, they must first be tested and allowed to dry on an inconspicuous area to ensure compatibility.
Ether	Sheer	Dust regularly with soft brush or vacuum.
Equinox	1%, 3%, 5%, 10%	Remove dust with vacuum cleaner (soft brush attachment) or compressed air. Do not scrub. Do not use solvents or any abrasive substances which might damage the coating of the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the shade down until completely dry. You can also very gently rub the fabric with a clean white pencil eraser to remove small stains.

Keystone Twill	1%, 3%, 5%	Keystone Twill contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganisms, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.
Kona	5%, 10%	Kona contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganisms, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.
Mesa	1%, 3%, 5%, 10%	Mesa contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganisms, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.
Mojave	3%, 5%	Remove dust with vacuum cleaner (soft brush attachment) or compressed air. Do not scrub. Do not use solvents or any abrasive substances which might damage the coating of the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the shade down until completely dry. You can also very gently rub the fabric with a clean white pencil eraser to remove small stains.
Natural Weave Linen	3%	Natural Weave contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganisms, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.
Nightfall	Black-out	Material may be dusted with a damp cloth. When scrubbing is necessary, warm water, mild detergents, and gentle rubbing are recommended.
Nimbus	Sheer	Clean with warm water and mild soap. Rinse with clean water. Leave the shade down until completely dry. Can also very gently rub the fabric with a clean white pencil eraser to remove small stains.
Nocturne	Blackout	Material may be dusted with a damp cloth. When scrubbing is necessary, warm water, mild detergents and gentle rubbing are recommended.
Orion	Blackout	Clean with warm water.

Sandia	1%, 3%	Remove dust with vacuum cleaner or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating of the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the blind down until completely dry. You can also very gently rub the fabric with a clean white pencil eraser to remove small stains.
Sedona	3%, 5%	Remove dust with vacuum cleaner or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating of the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the shade down until completely dry. You can also rub the fabric very gently with a clean white pencil eraser to remove small stains.
Sierra	1%, 3%, 5%	Dust removal with vacuum, compressed air, or soft brushing. Do not scrub, wipe clean with sponge using clean water.
SilverScreen	4%	Fabric is anti-static and therefore dust repellant. For regular maintenance, use a soft feather duster or vacuum-clean with a soft brush attachment on a low setting.
Sopris	Semi-sheer	Fabric should be regularly dusted/vacuumed as appropriate. If commercial spot cleaners are used, they must first be tested and allowed to dry on an inconspicuous area to ensure compatibility.
Teton	Privacy Screen	Remove dust from the fabric surface, then wipe gently with damp sponge and mild detergent.
Twilight	Blackout	Remove dust with vacuum cleaner (soft brush attachment) or compressed air. Do not scrub. Do not use solvents or any abrasive substances which might damage the coating of the fabric. For spot removal, a natural or dry cleaning sponge may be used.
Zenith	Blackout	Fabric should be regularly dusted/vacuumed (soft brush attachment) as appropriate. If commercial spot cleaners are used, they must first be tested and allowed to dry on an inconspicuous area to ensure compatibility.

Interior Special Order Fabrics

GreenScreen Revive	1%, 5%	Regular light dusting with a feather duster is suggested. A hand-held vacuum with low suction and brush attachment may also be used. When vacuuming, avoid pulling or stretching the fabric. Rigorous vacuuming is not recommended since this could distort the fabric. Alternatively, dirt and debris can be blown away using compressed air or a hand-held hair dryer on the cool setting.
Infinity2	1%, 3%, 5%	Remove dust with vacuum cleaner (soft brush attachment) or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating of the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the shade down until completely dry. You can also very gently rub the fabric with a clean white pencil eraser to remove small stains.
Sheerweave 2410 Performance +	3%	Sheerweave 2410 contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganisms, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.

Sheerweave 4000	5%	Sheerweave 4000 contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganisms, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.
Sheerweave 4100	10%	Sheerweave 4100 contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganisms, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.
Sheerweave 4400	3%	Sheerweave 4400 contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganisms, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.
Sheerweave 4800	1%	Sheerweave 4800 contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganisms, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.

Insolroll Elements Fabrics

Aegean	Solar Screen	Remove dust with vacuum cleaner or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating of the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the blind down until completely dry. You can also very gently rub the fabric with a clean white pencil eraser to remove small stains.
Antigua	Solar Screen	Remove dust with vacuum cleaner or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating of the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the blind down until completely dry. You can also very gently rub the fabric with a clean white pencil eraser to remove small stains.
Apex	Semi-sheer	Fabric should be regularly dusted/vacuumed as appropriate. If commercial spot cleaners are used, they must first be tested and allowed to dry on an inconspicuous area to ensure compatibility.
Arcadia	Sheer	Gently vacuum regularly, with appropriate soft brush attachment. Do not bleach. Do not rub or wring. Warm hand wash with mild soap, and keep shade down until fully dry. Warm iron if needed.
Bahia	Sheer	Vacuum to dust with soft brush attachment. Do not wash.
Bamboo	Blackout	Dust gently with soft brush attachment of vacuum.

Barrington	Blackout	Dust gently with soft brush attachment of vacuum.
Caspian	Translucent	Vacuum to dust with soft brush attachment. Do not wash.
Chinook	Blackout	Vacuum clean for regular maintenance; soft brush attachment. Do not wash, wring dry, bleach, dry clean or steam clean.
Coast	Translucent	Vacuum to dust with soft brush attachment. Do not wash.
Cobble	Translucent	Regularly vacuum, gently, with appropriate (soft brush) attachment. Do not wash. Do not dry clean. Warm iron if needed. Test in an inconspicuous area with mild detergent prior to spot cleaning. Do not allow shade to become fully wet- use damp cloth o
Crystal	Translucent	Vacuum to dust with soft brush attachment. Do not wash.
Dakota	Translucent	Wipe clean with a soft, damp cloth. Dust when needed with the brush attachment of a vacuum cleaner. Do not use solvents or abrasives that may damage the fabric/coating.
Dune	Translucent	Dust gently with soft brush attachment of vacuum.
Entrada	Blackout	Wipe with a damp cloth.
Finale	Blackout	Wipe clean with a damp sponge.
Haven	Blackout	Remove dust with vacuum cleaner or compressed air. Do not use solvents or any abrasive substance which might damage the coating of the fabric. Rinse with clean water. Leave the shade down until completely dry.You can also rub the fabric very gently with a clean white pencil eraser to remove small stains.
Interlude	Semi-sheer	Wipe clean with a damp sponge.
Key West	Sheer	Vacuum to dust with soft brush attachment. Do not wash.
Latitudes	Semi-sheer	Wipe clean with a soft, lightly damp cloth. Dust when needed with the brush attachment of a vacuum cleaner. Do not use solvents or abrasives that may damage the fabric/coating.
Limestone	Translucent	Vacuum to dust with soft brush attachment. Do not wash.
Lucent	Semi-sheer	Remove dust with vacuum cleaner or compressed air. Do not use solvents or any abrasive substance which might damage the coating of the fabric. Rinse with clean water. Leave the shade down until completely dry.You can also rub the fabric very gently with a clean white pencil eraser to remove small stains.
Marble	Blackout	Fabric should be regularly dusted/vacuumed (soft brush attachment) as appropriate. If commercial spot cleaners are used, they us first be tested and allowed to dry on an inconspicuous area to ensure compatibility.
Mineral	Blackout	Dust gently with soft brush attachment of vacuum.
Moraine	Blackout	Regularly vacuum, gently, with appropriate (soft brush) attachment. Do not wash. Do not dry clean. Warm iron if needed. Test in an inconspicuous area with mild detergent prior to spot cleaning. Do not allow shade to become fully wet- use damp cloth o
Pacific	Blackout	Dust gently with soft brush attachment of vacuum.
Patina	Translucent	Wipe clean with a soft, damp cloth. Dust when needed with the brush attachment of a vacuum cleaner. Do not use solvents or abrasives that may damage the fabric/coating.
Pebble	Translucent	Dust gently with soft brush attachment of vacuum.

Plateau	Black-out	Clean with warm water and mild soap. Rinse with clean water. Leave the shade down until completely dry. Can also very gently rub the fabric with a clean white pencil eraser to remove small stains.
Playa	Translucent	Gently vacuum with soft brush attachment. Do not wash
Quartz	Translucent	Fabric should be regularly dusted/vacuumed as appropriate. If commercial spot cleaners are used, they must first be tested and allowed to dry on an inconspicuous area to ensure compatibility.
Scirocco	Sheer	Vacuum to dust with soft brush attachment. Do not wash.
Shadow	Blackout	Do not allow dust to accumulate; regularly gently vacuum with appropriate attachment. Do not wash or dry clean.
Strand	Semi-sheer	Wipe clean with a soft, damp cloth. Dust when needed with the brush attachment of a vacuum cleaner. Do not use solvents or abrasives that may damage the fabric/coating.
Strata	Semi-sheer	Vacuum to dust with soft brush attachment. For spot cleaning, test any mild cleaning product on a small, inconspicuous area prior to broad application. Do not immerse or thoroughly wet. Do not use cleaning methods involving heat, bleach, abrasives, commercial spot cleaners or solvents.
Summit	Translucent	Clean with soft brush or vacuum with soft brush attachment.
Sunrise	Translucent	Vacuum clean for regular maintenance using soft brush attachment.
Tahoe	Semi-sheer	Gently vacuum with soft brush attachment. Do not wash
Terrace	Translucent	Wipe clean with a soft, damp cloth. Dust when needed with the brush attachment of a vacuum cleaner. Do not use solvents or abrasives that may damage the fabric/coating.
Tofino	Blackout	Vacuum to dust with soft brush attachment. For spot cleaning, test any mild cleaning product on a small, inconspicuous area prior to broad application. Do not immerse or thoroughly wet. Do not use cleaning methods involving heat, bleach, abrasives, commercial spot cleaners or solvents.
Whisper	Sheer	Wipe with a damp cloth.
Woodrush	Translucent	Dust gently with soft brush attachment of vacuum.

Oasis Fabrics

TuffScreen	48%	Clean with a mild soapy solution, avoiding hard scrubbing.
TuffScreen No-See-Ums	45%	Clean with a mild soapy solution, avoiding hard scrubbing.
Aurora	3%, 5%	Remove dust with a vacuum cleaner or compressed air. Clean with a sponge and warm, soapy water using mild detergent. Rinse with clean water. Do not scrub. Do not use solvents or abrasives that could harm the coating of the fabric. Leave the shade down until completely dry. You may also very gently rub the fabric with a clean white pencil eraser to remove small stains.
Dusk	Blackout	For regular care and maintenance, the excess dirt should be brushed from the fabric using a soft brush; the fabric should then be sprayed with warm water (not exceeding 100° F) and air-dried. Periodically, the fabric should undergo a more thorough cleaning. Again, brush fabric with a soft bristled brush, spray with warm water, then apply a gentle soap. Let stand for 10 to 20 minutes, taking care not to let it dry, then rinse thoroughly and air-dry. Do not use detergents and/or solvents. Leave shades down until completely dry to prevent mildew from forming.

Kona	5%, 10%	Kona contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganisms, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.
Maui	3%, 5%	Maui contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganisms, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.
Natural Weave Linen	3%	Natural Weave Linen contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganisms, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.
Palisade	3%, 5%, 10%	Remove dust with vacuum cleaner or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating of the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the shade down until completely dry. You can also very gently rub the fabric with a clean white pencil eraser to remove small stains.
Shore	Translucent	For regular care and maintenance, the excess dirt should be brushed from the fabric using a soft brush; the fabric should then be sprayed with warm water (not exceeding 100° F) and air-dried. Periodically, the fabric should undergo a more thorough cleaning. Again, brush fabric with a soft bristled brush, spray with warm water, then apply a gentle soap. Let stand for 10 to 20 minutes, taking care not to let it dry, then rinse thoroughly and air-dry. Do not use detergents and/or solvents. Leave shades down until completely dry to prevent mildew from forming.

Oasis Special Order Fabrics

Sheerweave 4000	5%	Sheerweave 4000 contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganisms, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.
Sheerweave 4100	10%	Sheerweave 4100 contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganisms, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.

Sheerweave 4400	3%	Sheerweave 4400 contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganisms, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.
Sheerweave 4800	1%	Sheerweave 4800 contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganisms, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.